SECTION 4 HAZARD IDENTIFICATION

This section describes how the Hazard Mitigation Council identified the hazard to be included in this plan. It consists of the following five subsections:

- 4.1 Overview
- 4.2 Description of Full Range of Hazards
- 4.3 Disaster Declarations
- ✤ 4.4 Hazard Evaluation
- 4.5 Hazard Identification Results

44 CFR Requirement

44 CFR Part 201.6(c)(2)(i): The risk assessment shall include a description of the type, location and extent of all natural hazards that can affect the jurisdiction. The plan shall include information on previous occurrences of hazard events and on the probability of future hazard events.

4.1 **OVERVIEW**

The MEMA District 6 Region is vulnerable to a wide range of natural and human-caused hazards that threaten life and property. Current FEMA regulations and guidance under the Disaster Mitigation Act of 2000 (DMA 2000) require, at a minimum, an evaluation of a full range of natural hazards. An evaluation of human-caused (i.e., terrorism) and technological hazards (i.e., hazardous materials incident) is encouraged, though not required, for plan approval. The MEMA District 6 Region has included a comprehensive assessment of all hazards. It should be noted however, that this list may not be all-inclusive and will be revisited with each plan update.

Upon a review of the full range of natural hazards suggested under FEMA planning guidance, the participating jurisdictions in the MEMA District 6 Regional Hazard Mitigation Plan have identified a number of hazards that are to be addressed in this Regional Hazard Mitigation Plan. These hazards were identified through an extensive process that utilized input from the MEMA District 6 Region Hazard Mitigation Council members, research of past disaster declarations in the participating counties¹, and review of the Mississippi State Hazard Mitigation Plan (2018). Readily available information from reputable sources (such as federal and state agencies) was also evaluated to supplement information from these key sources.

Table 4.1 lists the full range of hazards initially identified for inclusion in the Plan and provides a brief description for each. This table includes 22 individual hazards. Some of these hazards are considered to be interrelated or cascading (one hazard event may cause another, i.e. – hurricanes cause flooding), but for preliminary hazard identification purposes these individual hazards are broken out separately.

Table 4.2 lists the disaster declarations that have impacted the MEMA District 6 Region.

¹ A complete list of disaster declarations for the MEMA District 6 Region can be found below in Section 4.3 MEMA District 6 Regional Hazard Mitigation Plan 2021

Table 4.3 documents the evaluation process used for determining which of the initially identified hazards are considered significant enough to warrant further evaluation in the risk assessment. For each hazard considered, the table indicates whether or not the hazard was identified as a significant hazard to be further assessed, how this determination was made, and why this determination was made. The table works to summarize not only those hazards that *were* identified (and why) but also those that *were not* identified (and why not). Hazard events not identified for inclusion at this time may be addressed during future evaluations and updates of the risk assessment if deemed necessary by the MEMA District 6 RHMC during the plan update process.

Lastly, **Table 4.4** provides a summary of the hazard identification and evaluation process noting that 14 of the 22 initially identified hazards are considered significant enough for further evaluation through this Plan's risk assessment (marked with a " \square ").

4.2 DESCRIPTION OF FULL RANGE OF HAZARDS

In this section, hazards are classified into groups including flood-related hazards, fire-related hazards, geologic hazards, wind-related hazards, and other hazards (a catch-all category of hazards that typically includes human-caused and technological hazards). As noted above, several sources were consulted to determine a list of hazards to be considered by MEMA District 6. These include the MEMA District 6 RHMC members, research of past disaster declarations in the participating counties², review of FEMA's Multi-Hazard Identification and Risk Assessment (1997) and review of the State of Mississippi Hazard Mitigation Plan (2018). Readily available information from reputable sources (such as federal and state agencies) was also evaluated to supplement information from these key sources.

Hazard	Description						
FLOOD-RELATED HA	FLOOD-RELATED HAZARDS						
Avalanche	A rapid fall or slide of a large mass of snow down a mountainside.						
Dam and Levee Failure	Dam failure is the collapse, breach, or other failure of a dam structure resulting in downstream flooding. In the event of a dam failure, the energy of the water stored behind even a small dam is capable of causing loss of life and severe property damage if development exists downstream of the dam. Dam failure can result from natural events, human-induced events, or a combination of the two. The most common cause of dam failure is prolonged rainfall that produces flooding. Failures due to other natural events such as hurricanes, earthquakes or landslides are significant because there is generally little or no advance warning.						
Erosion	Erosion is the gradual breakdown and movement of land due to both physical and chemical processes of water, wind, and general meteorological conditions. Natural, or geologic, erosion has occurred since the Earth's formation and continues at a very slow and uniform rate each year.						

Table 4.1: DESCRIPTIONS OF THE FULL RANGE OF INITIALLY IDENTIFIED HAZARDS

² ² A complete list of disaster declarations for the MEMA District 6 Region can be found below in Section 4.3.

Flood	The accumulation of water within a water body which results in the overflow of excess water onto adjacent lands, usually floodplains. The floodplain is the land adjoining the channel of a river, stream ocean, lake or other watercourse or water body that is susceptible to flooding. Most floods fall into the following three categories: riverine flooding, coastal flooding, or shallow flooding (where shallow flooding refers to sheet flow, ponding and urban drainage).
Storm Surge	A storm surge is a large dome of water often 50 to 100 miles wide and rising anywhere from four to five feet in a Category 1 hurricane up to more than 30 feet in a Category 5 storm. Storm surge heights and associated waves are also dependent upon the shape of the offshore continental shelf (narrow or wide) and the depth of the ocean bottom (bathymetry). A narrow shelf, or one that drops steeply from the shoreline and subsequently produces deep water close to the shoreline, tends to produce a lower surge but higher and more powerful storm waves. Storm surge arrives ahead of a storm's actual landfall and the more intense the hurricane is, the sooner the surge arrives. Storm surge can be devastating to coastal regions, causing severe beach erosion and property damage along the immediate coast. Further, water rise caused by storm surge can be very rapid, posing a serious threat to those who have not yet evacuated flood-prone areas.
Winter Storm and Freeze	Winter storms may include snow, sleet, freezing rain, or a mix of these wintry forms of precipitation. Blizzards, the most dangerous of all winter storms, combine low temperatures, heavy snowfall, and winds of at least 35 miles per hour, reducing visibility to only a few yards. Ice storms occur when moisture falls and freezes immediately upon impact on trees, power lines, communication towers, structures, roads and other hard surfaces. Winter storms and ice storms can down trees, cause widespread power outages, damage property, and cause fatalities and injuries to human life.
FIRE-RELATED HAZA	RDS
Drought/Heat Wave	A prolonged period of less than normal precipitation such that the lack of water causes a serious hydrologic imbalance. Common effects of drought include crop failure, water supply shortages, and fish and wildlife mortality. High temperatures, high winds, and low humidity can worsen drought conditions and also make areas more susceptible to wildfire. Human demands and actions have the ability to hasten or mitigate drought-related impacts on local communities.
	A heat wave may occur when temperatures hover 10 degrees or more above the average high temperature for the region and last for several weeks. Humid or muggy conditions, which add to the discomfort of high temperatures, occur when a "dome" of high atmospheric pressure traps hazy, damp air near the ground. Excessively dry and hot conditions can provoke dust storms and low visibility. A heat wave combined with a drought can be very dangerous and have severe economic consequences on a community.
Wildfire	An uncontrolled fire burning in an area of vegetative fuels such as grasslands, brush, or woodlands. Heavier fuels with high continuity, steep slopes, high temperatures, low humidity, low rainfall, and high winds all work to increase risk for people and property located within wildfire hazard areas or along the urban/wildland interface. Wildfires are part of the natural management of forest ecosystems, but most are caused by human factors. Over 80 percent of forest fires are started by negligent human behavior such as smoking in wooded areas or improperly extinguishing campfires. The second most common cause for wildfire is lightning.

GEOLOGIC HAZARDS	
Earthquake	A sudden, rapid shaking of the Earth caused by the breaking and shifting of rock beneath the surface. This movement forces the gradual building and accumulation of energy. Eventually, strain becomes so great that the energy is abruptly released, causing the shaking at the earth's surface which we know as an earthquake. Roughly 90 percent of all earthquakes occur at the boundaries where plates meet, although it is possible for earthquakes to occur entirely within plates. Earthquakes can affect hundreds of thousands of square miles; cause damage to property measured in the tens of billions of dollars; result in loss of life and injury to hundreds of thousands of persons; and disrupt the social and economic functioning of the affected area.
Expansive Soils	Soils that will exhibit some degree of volume change with variations in moisture conditions. The most important properties affecting degree of volume change in a soil are clay mineralogy and the aqueous environment. Expansive soils will exhibit expansion caused by the intake of water and, conversely, will exhibit contraction when moisture is removed by drying. Generally speaking, they often appear sticky when wet, and are characterized by surface cracks when dry. Expansive soils become a problem when structures are built upon them without taking proper design precautions into account with regard to soil type. Cracking in walls and floors can be minor, or can be severe enough for the home to be structurally unsafe.
Landslide	The movements of a mass of rock, debris, or earth down a slope when the force of gravity pulling down the slope exceeds the strength of the earth materials that comprise to hold it in place. Slopes greater than 10 degrees are more likely to slide, as are slopes where the height from the top of the slope to its toe is greater than 40 feet. Slopes are also more likely to fail if vegetative cover is low and/or soil water content is high.
Land Subsidence	The gradual settling or sudden sinking of the Earth's surface due to the subsurface movement of earth materials. Causes of land subsidence include groundwater pumpage, aquifer system compaction, drainage of organic soils, underground mining, hydrocompaction, natural compaction, sinkholes, and thawing permafrost.
Sinkhole	Sinkholes are a natural and common geologic feature in areas with underlying limestone and other rock types that are soluble in natural water. Most limestone is porous, allowing the acidic water of rain to percolate through their strata, dissolving some limestone and carrying it away in solution. Over time, this persistent erosional process can create extensive underground voids and drainage systems in much of the carbonate rocks. Collapse of overlying sediments into the underground cavities produces sinkholes.
Tsunami	A series of waves generated by an undersea disturbance such as an earthquake. The speed of a tsunami traveling away from its source can range from up to 500 miles per hour in deep water to approximately 20 to 30 miles per hour in shallower areas near coastlines. Tsunamis differ from regular ocean waves in that their currents travel from the water surface all the way down to the sea floor. Wave amplitudes in deep water are typically less than one meter; they are often barely detectable to the human eye. However, as they approach shore, they slow in shallower water, basically causing the waves from behind to effectively "pile up", and wave heights to increase dramatically. As opposed to typical waves which crash at the shoreline, tsunamis bring with them a continuously flowing 'wall of water' with the potential to cause devastating damage in coastal areas located immediately along the shore.

Volcano	A mountain that opens downward to a reservoir of molten rock below the surface of the earth. While most mountains are created by forces pushing up the earth from below, volcanoes are different in that they are built up over time by an accumulation of their own eruptive products: lava, ash flows, and airborne ash and dust. Volcanoes erupt when pressure from gases and the molten rock beneath becomes strong enough to cause an explosion.
WIND-RELATED HAZ	ARDS
Hurricane and Tropical Storm	Hurricanes and tropical storms are classified as cyclones and defined as any closed circulation developing around a low-pressure center in which the winds rotate counter- clockwise in the Northern Hemisphere (or clockwise in the Southern Hemisphere) and with a diameter averaging 10 to 30 miles across. When maximum sustained winds reach or exceed 39 miles per hour, the system is designated a tropical storm, given a name, and is closely monitored by the National Hurricane Center. When sustained winds reach or exceed 74 miles per hour the storm is deemed a hurricane. The primary damaging forces associated with these storms are high-level sustained winds, heavy precipitation and tornadoes. Coastal areas are also vulnerable to the additional forces of storm surge, wind- driven waves and tidal flooding which can be more destructive than cyclone wind. The majority of hurricanes and tropical storms form in the Atlantic Ocean, Caribbean Sea and Gulf of Mexico during the official Atlantic hurricane season, which extends from June through November.
Nor'easter	Similar to hurricanes, nor'easters are ocean storms capable of causing substantial damage to coastal areas in the Eastern United States due to their associated strong winds and heavy surf. Nor'easters are named for the winds that blow in from the northeast and drive the storm up the East Coast along the Gulf Stream, a band of warm water that lies off the Atlantic coast. They are caused by the interaction of the jet stream with horizontal temperature gradients and generally occur during the fall and winter months when moisture and cold air are plentiful. Nor'easters are known for dumping heavy amounts of rain and snow, producing hurricane-force winds, and creating high surf that causes severe beach erosion and coastal flooding.
Severe Thunderstorm (wind, hail, lightning)	 Thunderstorms are caused by air masses of varying temperatures meeting in the atmosphere. Rapidly rising warm moist air fuels, the formation of thunderstorms. Thunderstorms may occur singularly, in lines, or in clusters. They can move through an area very quickly or linger for several hours. Thunderstorms may result in hail, tornadoes, or straight-line winds. Windstorms pose a threat to lives, property, and vital utilities primarily due to the effects of flying debris and can down trees and power lines. A hailstorm is any storm that produces hailstones that fall to the ground; usually used when the amount or size of the hail is considered significant. Hail is formed when up2021s in thunderstorms carry raindrops into parts of the atmosphere where the temperatures are below freezing. Lightning is a discharge of electrical energy resulting from the buildup of positive and negative charges within a thunderstorm, creating a "bolt" when the buildup of charges becomes strong enough. This flash of light usually occurs within the clouds or between the clouds and the ground. A bolt of lightning can reach temperatures approaching 50,000 degrees Fahrenheit. Lightning rapidly heats the sky as it flashes, but the surrounding air cools following the bolt. This rapid heating and cooling of the surrounding air causes thunder. On average, 73 people are killed each year by lightning strikes in the United States.

Tornado	A tornado is a violently rotating column of air that has contact with the ground and is often visible as a funnel cloud. Its vortex rotates cyclonically with wind speeds ranging from as low as 40 mph to as high as 300 mph. Tornadoes are most often generated by thunderstorm activity when cool, dry air intersects and overrides a layer of warm, moist air forcing the warm air to rise rapidly. The destruction caused by tornadoes ranges from light to catastrophic depending on the intensity, size and duration of the storm.
OTHER HAZARDS	
Hazardous Materials Incident	Hazardous material (HAZMAT) incidents can apply to fixed facilities as well as mobile, transportation-related accidents in the air, by rail, on the nation's highways and on the water. HAZMAT incidents consist of solid, liquid and/or gaseous contaminants that are released from fixed or mobile containers, whether by accident or by design as with an intentional terrorist attack. A HAZMAT incident can last hours to days, while some chemicals can be corrosive or otherwise damaging over longer periods of time. In addition to the primary release, explosions and/or fires can result from a release, and contaminants can be extended beyond the initial area by persons, vehicles, water, wind and possibly wildlife as well.
Pandemic	Pandemics are infectious and contagious outbreaks typically caused by a virus that originated in animals and spreads to humans. Common sources are swine and avian. There are several definitions of pandemic depending on the severity of the outbreak. It can be defined generally as an epidemic occurring over a large geographic area. Pandemic viruses reproduce and mutate rapidly. Unlike seasonal influenza, humans have no immunity to the mutated strains, making it especially deadly in populations.
Terror Threat	Terrorism is defined by FEMA as, "the use of force or violence against persons or property in violation of the criminal laws of the United States for purposes of intimidation, coercion, or ransom." Terrorist acts may include assassinations, kidnappings, hijackings, bomb scares and bombings, cyber-attacks (computer-based), and the use of chemical, biological, nuclear and radiological weapons.

4.3 DISASTER DECLARATIONS

Disaster declarations provide overall insight into the specific hazards that may impact the MEMA District 6 Regional planning area. Since 1969, 31 presidential disaster declarations have occurred in the region. This includes 18 events related to tornadoes, 18 events related to flooding, 7 events related to high wind, 7 events related to hurricane and tropical storm, 1 event related to winter storm events, and 1 pandemic.

Year	Disaster Number	Description	Clarke	Jasper	Kemper	Lauderdale	Leake	Neshoba	Newton	Scott	Smith
1969	271	HURRICANE CAMILLE		Х							Х
1971	302	STORMS & TORNADOES		Х							
1973	368	HEAVY RAINS, TORNADOES & FLOODING	х			х					

Table 4.2: MEMA DISTRICT 6 REGION DISASTER DECLARATIONS BY COUNTY

Year	Disaster Number	Description	Clarke	Jasper	Kemper	Lauderdale	Leake	Neshoba	Newton	Scott	Smith
1974	430	HEAVY RAINS & FLOODING	Х	Х	Х	Х	Х	Х	Х		Х
1976	499	STORMS, TORNADOES & FLOODING							Х		
1979	577	STORMS, TORNADOES, FLOODS	Х		Х	Х	Х	Х	Х	Х	
1979	599	HURRICANE FREDERIC	Х	Х		Х					
1983	683	SEVERE STORMS, TORNADOES, AND FLOODING					х				
1990	859	STORMS, TORNADOES & FLOODING	Х	Х	Х	Х			Х		Х
1992	939	SEVERE STORMS & TORNADOES				Х					
1992	968	SEVERE STORMS, HIGH WINDS & TORNADOES		х	Х	Х	Х	Х	Х	Х	Х
1998	1251	HURRICANE GEORGES		Х							
1999	1265	WINTER STORMS, ICE AND FREEZING RAIN			Х		х	Х			
2001	1360	SEVERE STORMS AND TORNADOES						Х		Х	
2001	1365	SEVERE STORMS AND FLOODING					Х	Х			
2001	1398	SEVERE STORMS, TORNADOES AND FLOODING					х			х	
2003	1459	SEVERE STORMS, TORNADOES, FLOODS	Х	Х	Х	Х	Х	Х	Х	Х	Х
2004	1550	HURRICANE IVAN	Х	Х	x	Х		Х	Х	Х	Х
2005	1594	HURRICANE DENNIS	Х	Х	Х	Х	Х	Х	Х	Х	Х
2005	1604	HURRICANE KATRINA	Х	Х	Х	Х	Х	Х	Х	Х	Х
2011	1972	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS, AND ASSOCIATED FLOODING	х	х	х			х	х	х	х
2012	4081	HURRICANE ISAAC	Х	Х	Х	Х	Х	Х	Х	Х	Х
2014	4175	SEVERE STORMS, TORNADOES, AND FLOODING					х		Х		
2016	4268	SEVERE STORMS AND FLOODING	Х								
2017	4295	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS, AND FLOODING				х					
2019	4415	SEVERE STORMS, FLOODING, AND TORNADO	Х	х					х		
2019	4450	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS, AND FLOODING	х		х						
2019	4470	SEVERE STORM, STRAIGHT-LINE WINDS, AND FLOODING		Х			х	х	х	х	х
2020	4528	COVID-19 PANDEMIC	Х	Х	Х	х	Х	Х	Х	Х	х
2020	4536	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS, AND FLOODING	Х	Х			х				х
2020	4551	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS, AND FLOODING									х
2021	4598	SEVERE WINTER STORMS		Х	х	Х	Х	Х	х	Х	х
	N	UMBER OF DISASTERS	16	18	14	15	16	15	16	13	15

4.4 HAZARD EVALUATION Table 4.3: DOCUMENTATION OF THE HAZARD EVALUATION PROCESS

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
FLOOD-RELATED I	HAZARDS		
Avalanche	NO	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of US Forest Service National Avalanche Center web site 	 The United States avalanche hazard is limited to mountainous western states including Alaska, as well as some areas of low risk in New England. Avalanche was not considered in the State of MS Hazard Mitigation Plan since it poses no threat to the state. Avalanche is not included in any of previous MEMA District 6 Region hazard mitigation plans. There is no risk or history of avalanche events in Mississippi.
Dam and Levee Failure	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of MS Department of Environmental Quality dam inventory 	 The National Inventory of Dams shows dams are located in every state. Dam/levee failure is identified in the state plan as a limited hazard. State of MS 2018 Hazard Mitigation Plan ranks Dam and Levee Failure as High. 48 dams in the region are classified as high-hazard (high hazard is defined where dam failure may cause loss of life or serious damage).

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Erosion	YES	 Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans 	 Coastal erosion was excluded from the State of MS Hazard Mitigation Plan as a hazard; however, it is addressed under the hurricane hazard. Riverine erosion is not addressed in the plan. Erosion is not identified as a hazard in any of the previous MEMA District 6 Region hazard mitigation plans. Erosion is a natural process and continuous process that impacts the region.
Flood	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of NOAA NCDC Storm Events Database Review of historical disaster declarations Review of FEMA DFIRM data Review of FEMA's NFIP Community Status Book and Community Rating System (CRS) 	 Floods occur in all 50 states and in the U.S. territories. The flood hazard is thoroughly discussed in the state plan. Much of the state is located in the 100-year floodplain. Further, flash floods are a common occurrence during rain storms. Each of the previous MEMA District 6 Region hazard mitigation plans address flooding. NCDC reports that MEMA District 6 Region counties have been affected by 345 flood events since 1997. In total, these events caused 1 recorded death and an estimated \$165.217 Million in property damages. 18 out of 31 disaster declarations were flood-related and an additional 7 were hurricane or tropical storm-related which caused flooding issues. 33 of the 40 MEMA District 6 jurisdictions participate in the NFIP and 1 municipality also participate in the CRS.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Storm Surge	NO	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of NOAA NCDC Storm Events Database 	 Given the inland location of the MEMA District 6 Region, storm surge would not affect the area. Storm surge is discussed in the state plan under the hurricane hazard and indicates that only the costal shoreline counties are subject to storm surge. None the previous hazard mitigation plans in the MEMA District 6 Region identify storm surge as a potential hazard. No historical events were reported by NCDC.
Winter Storm and Freeze	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of NOAA NCDC Storm Events Database Review of historical presidential disaster declarations 	 Winter storms affect every state in the continental U.S. and Alaska. Extreme winter weather is identified in the state plan as a limited hazard. Winter storm events are not considered to be a major hazard in the previous MEMA District 6 Region hazard mitigation plans. NCDC reports that the MEMA District 6 Region counties have been affected by 111 winter weather events since 1996. These events resulted in over \$11.6 million in property damages. 1 out of 31 disaster declarations was directly related to winter storm events.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
FIRE-RELATED HA	ZARDS		
Drought / Heat Wave	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of US Drought Monitor website Review of NOAA NCDC Storm Events Database 	 Drought is a normal part of virtually all climatic regimes, including areas with high and low average rainfall. Also, many areas of the United States are susceptible to heat wave, including Mississippi. Droughts are identified in the State of MS Hazard Mitigation Plan as a moderate hazard. Drought and extreme heat are not considered to be major hazards in any of the previous MEMA District 6 Region hazard mitigation plans. There are reports of the most extreme (exceptional) drought in each of the MEME District 6 Region counties according to the US Drought Monitor. NCDC reports that the MEMA District 6 Region counties have been affected by 103 drought events since 2006 and 36 extreme heat events since 2005.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Wildfire	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of Southern Wildfire Risk Assessment (SWRA) Data Review of Mississippi Forestry Commission website 	 Wildfires occur in virtually all parts of the United States. Wildfire hazard risks will increase as low-density development along the urban/wildland interface increases. The State of MS Hazard Mitigation Plan identifies wildfire as a moderate hazard a Each of the previous MEMA District 6 Region hazard mitigation plans address wildfire. A review of SWRA data indicates that there are areas of concern in the MEMA District 6 Region. Wildfire hazard risks will increase as low- density development along the urban/wildland interface increases. According to the Mississippi Forestry Commission, the MEMA District 6 Region experiences an average of 3,310 fires each year which burn a combined 3,723 acres annually.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
GEOLOGIC HAZAR	RDS		
Earthquake	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of National Geophysical Data Center USGS Earthquake Hazards Program website 	 Although the zone of greatest seismic activity in the United States is along the Pacific Coast, eastern and central regions have experienced significant earthquakes. Earthquake events are identified as a low risk in the 2018 State of MS Hazard Mitigation Plan, and all counties in MS are considered to be susceptible to the effects of earthquakes. Earthquakes have occurred in and around the State of Mississippi in the past. The state is affected by the New Madrid (near Missouri) and White River Fault lines which have generated a magnitude 8.0 earthquake in the last 200 years. None of the previous MEMA District 6 Region hazard mitigation plans consider earthquake to be a hazard of concern. 8 events are known to have occurred in the region according to the National Geophysical Data Center. The greatest MMI reported was a 5.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Expansive Soils	NO	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of USGS Swelling Clays Map 	 The effects of expansive soils are most prevalent in parts of the Southern, Central, and Western U.S. Expansive soils are not identified in the state plan, and have not historically been a problem for most areas in Mississippi. Expansive soils are not addressed in any of the previous MEMA District 6 Region hazard mitigation plans. According to USGS, the MEMA District 6 Region is predominately located in an area that is underlain with "generally less than 50%" clay having high swelling potential. However, there is a portion of the region underlain with abundant clay having high swelling potential.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Landslide	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of USGS Landslide Incidence and Susceptibility Hazard Map 	 Landslides occur in every state in the U.S., and they are most common in the coastal ranges of California, the Colorado Plateau, the Rocky Mountains, and the Appalachian Mountains. The State of MS Hazard Mitigation Plan excludes the landslide hazard because there is no extensive history of landslides in Mississippi. None of the previous MEMA District 6 Region hazard mitigation plans consider landslide to be a likely hazard to affect the area. USGS landslide hazard maps indicate "low incidence" (less than 1.5% of the area is involved in landsliding) across the majority of the region; however, there are areas in the southwestern portion of the region that are "moderate incidence" areas (between 1.5 and 10% of the areas is involved in landsliding). Additionally, local conditions may become more favorable for landslides due to heavy rain, for example.
Land Subsidence	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans 	 Land subsidence affects at least 45 states, including Mississippi. However, because of the broad range of causes and impacts, there has been limited national focus on this hazard. The state plan addresses land subsidence in earth quake section. The probability of future land subsidence events in the region is unlikely (less than 1 percent annual probability).

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Sinkhole	NO	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans 	 The states with the greatest number of active sinkholes are Alabama, Florida, Georgia, Indiana, Missouri, Pennsylvania, and Tennessee. The state plan does not identify sinkholes as a hazard because there is no significant historical record of the hazard in the region. Sinkholes are not addressed in any of the previous MEMA District 6 Region hazard mitigation plans.
Tsunami	NO	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of USGS Regional Assessment of Tsunami potential in the Gulf of Mexico Review of FEMA "How- to" mitigation planning guidance (Publication 386-2, "Understanding Your Risks – Identifying Hazards and Estimating Losses) 	 No record exists of a catastrophic tsunami impacting the Gulf of Mexico coast. Tsunami inundation zone maps are not available for communities located along the U.S. Gulf Coast. The tsunami hazard is excluded from the state plan. There is no historical record of tsunamis in the Gulf of Mexico. None of the previous MEMA District 6 Region hazard mitigation plans consider tsunami to be a problem for the area. FEMA mitigation planning guidance suggests that locations along the U.S. Gulf Coast have a relatively low tsunami risk and need not conduct a tsunami risk assessment at this time.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Volcano	NO	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of USGS Volcano Hazards Program website 	 More than 65 potentially active volcanoes exist in the United States and most are located in Alaska. The Western states and Hawaii are also potentially affected by volcanic hazards. There are no active volcanoes in Mississippi. The volcano hazard is excluded from the state plan. There is no historical record of this hazard in the region.
WIND-RELATED H	AZARDS		
Hurricane and Tropical Storm	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Analysis of NOAA historical tropical cyclone tracks and National Hurricane Center Website Review of NOAA NCDC Storm Events Database Review of historical presidential disaster declarations 	 The Atlantic and Gulf regions are most prone to landfall by hurricanes and tropical storms. The State Hazard Mitigation Plan profiles the hurricane hazard and identifies it as a significant hazard, noting its devastating impacts on the state. Each of the previous MEMA District 6 Region hazard mitigation plans address hurricanes. NOAA historical records indicate 57 hurricanes and tropical storms have come within 75 miles of the MEMA District 6 Region since 1855. 7 out of 31 disaster declarations in the MEMA District 6 Region are directly related to hurricane and tropical storm events.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Nor'easter	NO	 Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of NOAA NCDC Storm Events Database 	 Nor'easters are not profiled or discussed in the state plan. Nor'easters are not identified in any of the previous MEMA District 6 Region hazard mitigation plans. NCDC does not report any nor'easter activity for the MEMA District 6 Region counties.
Severe Thunderstorm (wind, hail, lightning)	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of NOAA NCDC Storm Events Database Review of historical presidential disaster declarations 	 Severe thunderstorm events were not profiled in the State Hazard Mitigation Plan because they do not typically impact the entire state, invoking a state response. However, severe thunderstorms were identified as a significant concern at the local level. Severe weather is addressed in each of the previous MEMA District 6 Region hazard mitigation plans. 21 of 31 disaster declarations in the MEMA District 6 Region are related to severe storm and high wind events.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
Tornado	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of NOAA NCDC Storm Events Database Review of historical presidential disaster declarations 	 From 1991 to 2010, Mississippi experienced 9.2 tornadoes per 10,000 miles, making it the 5th ranked "tornado state" in the U.S. Tornado events are listed in the State of MS Hazard Mitigation Plan as a high risk and are referenced as a common disaster. Tornadoes are addressed in all of the previous MEMA District 6 Region hazard mitigation plans. NCDC reports 468 tornado events in MEMA District 6 Region counties since 1950. These events have resulted in 35 recorded deaths, 464 injuries, and \$366.12 million in property damage with the most severe being an F5. 18 out of 31 disaster declarations in the MEMA District 6 Region are related to tornado events.

Hazards Considered	Was this hazard identified as a significant hazard to be addressed in the plan at this time? (Yes or No)	How was this determination made?	Why was this determination made?
OTHER HAZARDS			
Hazardous Materials Incident	YES	 Review of FEMA's Multi- Hazard Identification and Risk Assessment Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans Review of EPA TRI sites inventory Review of PHMSA HAZMAT Incident Statistics database 	 Cities, counties, and towns where hazardous materials fabrication, processing, and storage sites are located, and those where hazardous waste treatment, storage, or disposal facilities operate are at risk for hazardous materials events. Hazardous materials incidents are not discussed in the state plan. There are 48 TRI sites located in the MEMA District 6 Region. According to the PHMSA, there have been 303 reported hazardous materials in the region.
Pandemic	YES	 Ongoing COVID-19 Pandemic Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans 	 Ongoing COVID-19 Pandemic DR- 4528 declared April 5, 2020 and continuing. Pandemic is not discussed in the state plan. Pandemic is not included in any of the previous MEMA District 6 Region hazard mitigation plans.
Terror Threat	NO	 Review of State of MS Hazard Mitigation Plan Review of previous MEMA District 6 Region hazard mitigation plans 	 Terrorism is excluded from the state plan, but it does note that it is included in 17% of local plans. None of the previous MEMA District 6 Region hazard mitigation plans include terrorism as a hazard.

4.5 HAZARD IDENTIFICATION RESULTS

Table 4.4: SUMMARY RESULTS OF THE HAZARD IDENTIFICATION AND EVALUATION PROCESS

FLOOD-RELATED HAZARDS	GEOLOGIC HAZARDS
Avalanche	🗹 Earthquake
Dam and Levee Failure	Expansive Soils
✓ Erosion	🗹 Landslide
🗹 Flood	Land Subsidence
Storm Surge	□ Sinkhole
Winter Storm and Freeze	Tsunami
FIRE-RELATED HAZARDS	Volcano
Drought / Heat Wave	WIND-RELATED HAZARDS
☑ Wildfire	Hurricane and Tropical Storm
	□ Nor'easter
	Severe Thunderstorm (Wind, Hail, Lightning)
	Tornado
	OTHER HAZARDS
	Hazardous Materials Incident
	☑ Pandemic
	Terror Threat

 \square = Hazard considered significant enough for further evaluation in the MEMA District 6 Region hazard risk assessment.